

**PRO MED PREVENTIVE CARE GUIDELINES**

**AGE GROUP: CHILDREN: AGE 0 – 2 YRS**

<b>SCREENING</b>	<b>Birth</b>	<b>1 mo</b>	<b>2 mo</b>	<b>4 mo</b>	<b>6 mo</b>	<b>9 mo</b>	<b>12 mo</b>	<b>15 mo</b>	<b>18 mo</b>	<b>24 mo</b>
Developmental assessment: Include H & P; Ht, Wgt, Growth Chart, Dental : Nutritional	X	X	X	X	X	X	X	X	X	X
Hearing & Vision (Subjective only)	S	U	B	J	E	C	T	I	V	E
Lead screening- in accordance with state law	O	B	S	E	R	V	A	T	I	ON
TB exposure risk assessment	X	X	X	X	X	X	X	X	X	X
<b>DX TESTS</b>										
Lead Screen * If high risk	CLIN	ICAL		DIS	CRE	TI	ON			
<b>IMMUNIZATIONS</b>										
<b>DTAP</b> (4 by age 2)			1	2	3			4		
<b>IPV:</b> ( 3 by age 2)			1	2	3					
<b>MMR</b> ( 1 between age 1-2)							1			
<b>HIB</b> (H. Influenza B) 3-4 by age 2										
<b>Hepatitis B</b> (3 by age 2. 4 doses if combo vaccine used)	1	2			3					
<b>Varicella</b> ( 1 between age 1-2)							1			
<b>Pneumococcal</b> 4 doses If started after 6 mos, reduce #			1	2	3		4			
<b>Influenza</b> (over 6 months)							1			
<b>Hepatitis A</b> 2 doses 6 mos apart after age 1							1		2	
<b>COUNSELING</b>										
Sleep Position (Supine)	D	O	C	U	M	E	N	T		
<b>INJURY PREVENTION:</b> Car Seats; Smoke Detector; Flame Retardant sleepwear; Water temperature; Window/ Stair Guard; Pool Fences; Safe storage of drugs, matches, firearms and toxic substances	A	L	L		O	N				
Sun Protection	E	V	E	R	Y					
<b>SUBSTANCE ABUSE:</b> Poison control number; Syrup of Ipecac; Safe drug storage	R	O	U	T	I	N	E			
Passive smoking effects	V	I	S	I	T					
<b>DIET &amp; EXERCISE:</b> Includes dental health ( baby bottle tooth decay ) ; Physical activity										